



## Korinto Sales Requirements

The **GMCW Korinto** is a 1-bean, 2-powder Super Automatic Coffee Brewer. The following items must be discussed and agreed upon before an installation can be scheduled.

**Cleaning:** There are daily, weekly and monthly cleaning requirements that must be understood and routinely performed on this brewer. Please refer to cleaning instructions for details.

**Electrical:** This unit requires 120V 15A 60Hz. Comes equipped with NEMA 5-15P. Requires dedicated circuit breaker.

**Plumbing:** Requires plumbed in water service; must be installed in compliance with local codes. 30 to 80 psi allowable water pressure range. 1 gpm minimum water flow rate. Brewer is provided with water softening/filtration system that must be installed and utilized with this brewer, failure to install this filtration system will void the warranty.

**Drain:** This brewer is equipped so that it can be plumbed into floor drain.

**Installation:** Factory trained, professional installation and training service is available. See catalog for current pricing and requirements. Installer must be well versed in local electrical and plumbing codes as well as the installation/calibration procedures associated with this brewer.

**Layouts:** The Korinto has 5 default Layouts available. Each layout has its own unique beverage characteristics: Review each layout and choose one. The physical locations of the buttons are changeable. Also Alternates can be switched with Defaults. Attached are detailed configurations of each Layout. Listed below is the synopsis of each Layout.

1. Direct Select Size: Small 8 oz. and 12 oz. if using "Large" Alternate  
8 Default Beverages 3 alternate Beverages  
Default Powders: Cocoa, Milk
2. Direct Select Size: Small 8 oz. and 12 oz. if using "Large" Alternate  
8 Default Beverages 8 Alternate Beverages  
Default Powders: Cocoa, Milk

3. Direct Select Size: Small 8 oz. and 12 oz. if using "Large" Alternate  
8 Default Beverages 3 Alternate Beverages  
Default Powders: Cocoa, French Vanilla
  
4. Direct Select Size: Small 8 oz. and 12 oz. if using "Large" Alternate  
8 Default Beverages 8 Alternate Beverages  
Default Powders: Cocoa, French Vanilla
  
8. Direct Select Size: Small 8 oz. and 12 oz. if using "Large" Alternate  
8 Default Beverages 1 Alternate Beverages  
Default Powders: Decaffeinated Soluble Coffee, Milk

For those who purchased Installation Package, the Day of Installation checklist is provided next page. **NOTE: This note must be signed by the customer and sent in to Customer Service. The installation of this machine will not be scheduled until Customer Service has this form completed and signed by customer.**

# Korinto Installation Requirements

**Day of Installation:** On the day and at the location of installation the customer shall provide the following items listed below: **NOTE: This note must be signed by the customer and sent in to Customer Service. The installation of this machine will not be scheduled until Customer Service has this form completed and signed by customer.**

- Layout Selected: \_\_\_\_\_
- NEMA 5-15R 120V Outlet within three (3) feet of brewer.
- 3/8 inch water line with Shutoff valve within three feet of the brewer.
- Two pounds of Whole Bean Regular Coffee.
- Two Pounds of approved Milk Powder.
- Two pounds of French Vanilla Powder.
- Two pounds of Cocoa Powder.
- Correct Size Cups: 8 oz. or 12 oz. (Please circle one)
- Will have cleaning supplies: Sanitizer and brushes.
- Will have appropriate personnel available for training on day of installation.

**I understand by signing this document and all above conditions are not met before my scheduled installation date, I may be charged appropriate service call fees.**

**Customer and Contact Name:** \_\_\_\_\_

**Installation Address:** \_\_\_\_\_

**(Required) Installation Contact Name and phone number:**

**Signature:** \_\_\_\_\_ **Date:** \_\_\_\_\_