

Item #: 177IC1800 Project: _____

Qty: _____ Date: _____ Approval: _____

Avantco IC1800 Countertop Induction Range / Cooker - 120V, 1800W

Item #177IC1800



Technical Data

Width	13 15/32 Inches
Depth	16 1/2 Inches
Height	4.046875 Inches
Cooking Surface Diameter	4 3/4 - 10 1/4 Inches
Recommended Pan Size (Bottom Diameter)	9 Inches
Amps	15 Amps
Hertz	60 Hertz
Phase	1 Phase
Voltage	120 Volts
Wattage	1800 Watts
Color	Red Silver
Control Type	Digital
Features	Timer
Installation Type	Countertop
Number of Burners	Burners Single
Number of Power Levels	15
Plug Type	NEMA 5-15P
Power Type	Electric
Suggested Weight Capacity	110 lb.
Temperature Range	140 - 460 Degrees F
Type	Heaters Induction Ranges
Usage	Front of House

Features

- Multiple cooking modes from 140 – 460 degrees Fahrenheit
- Compatible with pans up to 10 1/4" bottom diameter
- Automatically switches to standby mode when pan is removed
- Durable stainless steel body with 110 lb. suggested weight capacity
- No open flame makes this a safer alternative to conventional countertop ranges

Certifications



Avantco Equipment



Notes & Details

This Avantco IC1800 countertop induction range delivers superior usability and performance for all your cooking needs! Perfect for use in omelet stations, catering services, display cooking, and other light-duty applications, this induction unit is safer than conventional countertop ranges since there's no open flame or exposed burner. And thanks to its innovative technology, this cooker heats up in as little as one minute. Plus, this range boasts a sleek, stainless steel design for a professional look that will impress your guests, while being easy to clean.

For added convenience, a built-in 180 minute timer allows you to keep track of your culinary creations, and you can cook using a wattage or temperature mode that ranges from 140 - 460 degrees Fahrenheit. And thanks to its multiple heat levels, you can be sure you'll have the ideal temperature for your most popular dishes. This induction cooker is compatible with induction-ready pans that have a bottom diameter between 4 3/4" and 10 1/4". For added convenience, the cooker enters "standby" mode when the pan is removed from the surface. This unit requires a 120V electrical connection.

⚠ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to www.p65warnings.ca.gov.