



Wedgemaster®II 700-1 700-4 NDG700-1 NDG700-4

ENGLISH



Thank you for purchasing this Vollrath Food Processing Equipment. Before operating the equipment, read and familiarize yourself with the following operating and safety instructions. SAVE THESE INSTRUCTIONS FOR FUTURE REFERENCE. Save the original box and packaging. Use this packaging to ship the equipment if repairs are needed.



### SAFETY PRECAUTIONS

To ensure safe operation, read the following statements and understand their meaning. This manual contains safety precautions which are explained below. Please read carefully.

# 

Warning is used to indicate the presence of a hazard that can cause severe personal injury, death, or substantial property damage if the warning is ignored.

# 

Caution is used to indicate the presence of a hazard that will or can cause minor personal injury or property damage if the caution is ignored.

### NOTE

Note is used to notify people of installation, operation, or maintenance information that is important but not hazard-related.

### For Your Safety!

These precautions should be followed at all times. Failure to follow these precautions could result in injury to yourself and others.


To reduce risk of injury or damage to the unit:

- Check unit before each use to insure the equipment is clean.
- Check for broken, nicked or dull blades and if found, replace the blade assembly.
- Check to insure that the pusher head sits down completely on the rubber bumpers.
- If necessary, lubricate guide rods using a light coating of mineral oil, Petro Gel, or food grade lubricant. DO NOT USE COOKING OIL AS IT WILL BECOME STICKY AND MAY PERMANENTLY DAMAGE THE PUSHER HEAD BEARINGS

### FUNCTION AND PURPOSE

Intended for wedging vegetables and fruits.

### FEATURES AND CONTROLS



#### Figure 1. Features and Controls.

- (A) GUIDE RODS. Guides and align the pusher head onto the blade set.
- (B) HANDLE. Used to lower and raise the pusher head.
- $^{
  m (C)}$  BUMPERS. Cushions the stop of the pusher head.
- D PUSHER HEAD ASSEMBLY. Made up of the handle and the pusher head block.
- E BLADE ASSEMBLY. Houses the blades. Specifically sized to match the corresponding pusher head block.
- (F) BASE ASSEMBLY. Holds guide rods and the blade assembly.
- G LEGS. Supports the unit and holds the blade assembly.

### UNPACKING THE EQUIPMENT AND INITIAL SETUP

Carefully remove crating or packaging materials from the unit. When no longer needed, dispose of all packaging, materials in an environmentally responsible manner.

### **O**PERATION



### 

#### Sharp Blade Hazard.

Blades are sharp and can cause cuts. To avoid injury from sharp blades, handle with caution.

Prior to first use, it is important to clean the unit. Wash new blades with warm soapy water and rinse thoroughly to remove the thin protective oil film.

- 1. Place the unit on a clean, flat work surface.
- 2. Before each use, check that the unit is clean and the blades are in good condition. If loose or broken blades are found, blades must be serviced.
- Before each use, check for proper blade alignment. Slowly set the pusher head (D) onto the blade assembly (E). See Figure 1. They should slide together with no obstructions. If there are obstructions, verify they are a matching set. Rremove the obstruction.
- 4. Verify that the blade assembly and pusher head assembly are the desired size.
- Prepare the food product to be processed. For lemons, limes and some other fruit the unit will work better if the ends are cut off. Remove the stem scar on tomatoes.
- 6. Lift the handle (B) and place the food on the blade assembly (H) (center spike for wedge blades).
- 7. Remove hand from the blade assembly (H) area and place that hand on one of the legs (F).
- 8. Using a strong, quick, downward thrust, force the food product through the blade assembly.
- 9. Repeat this process until you have prepared enough food product for your daily needs.
- 10. Clean and lubricate your equipment immediately after each use. See the **CLEANING** section of this manual for more information.

### CLEANING



# A WARNING

Sharp Blade Hazard.

Blades are sharp and can cause cuts. To avoid injury from sharp blades, handle with caution.

To maintain the appearance and increase the service life, clean your daily. **NOTE:** 

#### Food acids will make blades dull and corrode the metal. Always clean this food preparation equipment immediately after every use.

- 1. Slide the pusher head assembly (D) off the rod guides (A). Figure 1.
- 2. Remove the screws securing the blade assembly (E).
- The blade assembly (E) is best cleaned by forcing water under pressure through the blades from the unsharpened side. If necessary, use a nylon bristle cleaning brush to push food particles out from the unsharpened side of the blade assembly (E).

- 4. Wash the parts in warm soapy water and rinse thoroughly.
- 5. Allow the parts to air dry.
- 6. Do not put this equipment in a dishwasher or dish machine with soaps, detergents, or other alkaline chemicals that can harm the equipment.
- 7. Install the blade assembly (E) so the tabs on the blade assembly slide into the groves of the base assembly (F).
- 8. Secure the blade assembly to the base using the screws removed earlier.
- 9. Lubricate the guide rods with mineral oil or Petro Gel after each use. Do not use cooking oil as it will become sticky and may permanently damage the equipment.

### PREVENTATIVE MAINTENANCE

- 1. Clean the equipment after every use.
- 2. Use for intended purposes only.
- 3. Change the blades regularly based on usage.

### REPLACING BLADE ASSEMBLY



## **WARNING**

Sharp Blade Hazard. Blades are sharp and can cause cuts. To avoid injury from sharp blades, handle with caution.

Wash new blades with warm, soapy water and rinse thoroughly to remove the thin protective oil film. Keep the sharp edge away from you when handling blades.

- 1. Familiarize yourself with the parts diagram for your unit.
- 2. Remove the pusher head assembly (D) by sliding it off the rod guides (A). Figure 1.
- 3. Remove the screws securing the old blade assembly (E) and discard blade assembly and retain the screws.
- 4. Install the new blade assembly (E) so the tabs on the blade assembly slide into the groves of the base assembly (F).
- 5. Secure new blade assembly to the base using the screws removed earlier.
- Lubricate the guide bar with mineral oil or Petro Gel after each use. Do not use cooking oil as it will become sticky and may permanently damage the equipment.



### TROUBLESHOOTING

If the equipment no longer processes food cleanly or without damage to the food product, the blades could be dull and be in need of replacement. Broken, bent, or nicked blades must be replaced.

Problem	It might be caused by	Course of Action	
Broken Blade.	Blades were dull.	Pre-score whenever possible to avoid undue shock and stress to blades Replace the blade assembly.	

### SERVICE AND REPAIR

Please contact the qualified professional repair service listed below.


#### VOLLRATH Induction Repair Service • 1-800-825-6036 (USA) or www.vollrathco.com

When contacting the Authorized Professional Service Center, please be ready with the model number, serial number, and proof of purchase showing the date the unit was purchased.

### SPARE PARTS LIST - WEDGWMASTER® II~ MODELS 700-1, 700-4

LETTER	PART NO.	DESCRIPTION	
1	379107	Pusher Assembly, 6/12 Section	
I	379108	Pusher Assembly, 4/8 Section	
2	379109	Base Assembly	
3	379103	Foot Cover	
4	305	'O' Ring	
5	702	Blade Screw	
	704	Blade Assembly, 4 Section	
	706	Blade Assembly, 6 Section	
6	708	Blade Assembly, 8 Section	
	712	Blade Assembly, 12 Section	

# EXPLODED VIEW - WEDGWMASTER® ~ MODELS 700-1, 700-4



### WARRANTY STATEMENT FOR THE VOLLRATH CO. L.L.C.

The Vollrath Company LLC warrants the products it manufactures and distributes against defects in materials and workmanship for a period of one year, except as specifically provided below. The warranty runs 12 months from the date of original installation. (End user receipt)

- Refrigeration compressors The warranty period is 5 years. 1
- Replacement parts The warranty period is 90 days. 2
- 3. Fry pans and coated cookware - The warranty period is 90 days
- EverTite™ Riveting System The warranty covers loose rivets 4 only, forever.
- Cavenne® Heat Strips The warranty period is 1 year plus an 5. additional 1 year period on heating element parts only.
- 6. Ultra and Professional Induction Ranges - The warranty period is 2 years.
- Mirage and Commercial Induction ranges The warranty period 7. is 1 year.
- 8 ServeWell® Induction Workstations - The warranty period is one year on the workstation table and 2 years on induction hobs.
- Slicers The warranty period is 10 years on gears and 5 years 9. on belts.
- Mixers The warranty period is 2 years.
- 11. Extended warranties are available at the time of sale.
- 12. Boxer Mixers 1 Year exchange Warranty.
- 13. Vollrath Redco products The warranty period is 2 years.
- 14. Optio / Arkadia product lines The warranty period is 90 days.
- 15. All non-stick products (i.e. fry pans and surfaces) are 90 days for the non stick surfaces.

All products in the Jacob's Pride<sup>®</sup> collection, including the following, have a lifetime warranty:

- NSF Certified One-Piece Dishers
- NSF Certified Spoodle® Utensils •
- · NSF Certified Heavy-Duty Spoons with Ergonomic Handle
- NSF Certified Heavy-Duty Basting Spoons Heavy duty Turners with Ergonomic handle
- One-Piece Tongs\*
- Heavy-Duty One-Piece Ladles\* Nylon Handle Whips
- . One-Piece Skimmers
- Tribute®, Intrigue®, and Classic Select® Cookware'

\*Jacob's Pride® warranty does not cover Kool-Touch®, non stick coatings and silicone handles.

### Items sold having no warranty:

- Meat Grinder Knives
- Light Bulbs in Convection Ovens and Hot Food Merchandiser
- **Oven Door Seals**
- Oven Door Glass
- Hot Food Merchandisers / Display Case Glass .
  - .
  - Calibration and set up of gas equipment Slicer / Dicer blades (table top food prep) -. Redco and Vollrath

### THIS WARRANTY IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE

As The Vollrath Company LLC's only responsibility and the purchaser's only remedy, for any breach of warranty, The Vollrath Company LLC will repair or, at its option, replace the defective product or part without charge, except as otherwise provided below:

- For refrigeration compressors and the second year of the warranty on Cayenne® Heat Strips and mixers, The Vollrath Company LLC will provide the repaired or replacement part only; and the buyer will be responsible for all labor charges incurred in performing the repair or replacement.
  To obtain warranty service, the buyer will be responsible to return to The Vollrath Company LLC any product (other than gas equipment that is permanently installed) weighing less than 110 lbs. or located outside of a 50-mile radius of a certified technician designated by The Vollrath Company LLC to perform warranty repairs. If a Vollrath Technician cannot be contacted check the website for service contact points. (Please refer to the Product Catalogue for weights and the product Catalogue for weights) and sizes of product)
- No remedy will be available for products that have been damaged by accident, carelessness, improper installation, lack of proper setup or supervision when required, neglect, improper use, installation or operation contrary to installation and operating instructions or other causes not arising out of defects in materials or workmanship. At the buyer's request, The Vollrath Company LLC will repair and or replace such products at a reasonable cost.
- No remedy will be available for slicers where blade has not been sharpened (Refer to owner's manual for sharpening instructions)
- No remedy will be available for mixers damaged by changing gears while unit is running or overloading, in either case as determined by a Vollrath Certified Technician
- Warranty work must be authorized in advance by The Vollrath Company LLC. See the operating and safety instructions for each product for detailed warranty claim procedures.
- No remedy will be available for product returned and found to be acceptable to the product specification.
- No remedy will be available under any warranty not registered as required below.

#### LIMITATION OF LIABILITY:

THE VOLLRATH COMPANY LLC SHALL HAVE NO LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND, WHETHER BASED UPON NEGLIGENCE OR OTHER TORT, BREACH OF WARRANTY, OR ANY OTHER THEORY.

### WARRANTY PROCEDURE

On all warranty calls, the following process and information is required:

- All warranty claims will start with a call to Vollrath Technical Service support line. (800-628-0832).
- A technical support professional will work to diagnose the issues, and provide the details for the service solution. Name and phone number of person calling Business name, street address, city, state and zip
- .
- . .
- Model and serial number
- Date of purchase and proof of purchase (Receipt)
  Name of dealer where unit was purchased

NOTE: Vollrath will not accept products sent without the proper procedure being followed.

#### Important:

TO MAKE A CLAIM FOR ANY REMEDY UNDER THIS WARRANTY, YOU MUST REGISTER YOUR WARRANTY.

### **REGISTER TODAY**

ONLINE: Register your warranty on-line now at www.Vollrathco.com

NO WEB ACCESS: If you do not have access to the web, kindly register by completing the warranty registration form and faxing it to The Vollrath Co. LLC office in the country of purchase.

WARRANTY REGISTRATION							
BUSINESS NAME							
Key Contact Name	Email						
STREET ADDRESS							
Сіту		STATE	ZIP CODE				
Country	PHONE	F/	AX				
Model	Item Number						
Serial Number	•		•				
OPERATION TYPE							
Limited Service Restaurant	Full Service Restaurant	Bars and Taverns	Supermarket				
Convenience Store	Recreation	Hotel/Lodging	Airlines				
Business/Industry	Primary/Secondary School	Colleges/University	Hospitals				
Long-Term Care	Senior Living	Military	Corrections				
REASON FOR SELECTING OUR PRODUCT							
Appearance	Full Service Restaurant	Availability	Sellers Recommendation				
Ease of Operation	Versatility of Use	🔲 Price	Brand				
Would You Like to Receive Our F	🗋 Yes 🛄 No						



www.vollrathco.com

The Vollrath Company, L.L.C. 1236 North 18th Street Sheboygan, WI 53081-3201 U.S.A.

Main Tel: 800.628.0830 Fax: 800.752.5620 Technical Services: 800.628.0832 Service Fax: 920.459.5462

Canada Service: 800.695.8560

© 2011 The Vollrath Company, L.L.C.

####